

# INDEX TO VOLUME 31

## AUTHORS INDEX

### A

- Ashman, Richard. (*See* LaDue and Ashman), 685  
 Askey, John Martin. Hemiplegia following carotid sinus stimulation, 131

### B

- Baggenstoss, Archie H. (*See* Keith, Pruitt, and Baggenstoss), 527  
 Batterman, Robert C., DeGraff, Arthur C., and Shorr, Harold M. Further observations on the use of mercupurin administered orally, 431  
 Bayley, Robert H. The electrocardiographic effects of injury at the endocardial surface of the left ventricle, 677  
 Bell, John W. (*See* York and Bell), 780  
 Bernstein, Arthur. (*See* Parsonnet, Bernstein, and Klosk), 769  
 —. (*See* Parsonnet, Bernstein, and Martland), 438  
 —. (*See* Parsonnet, Miller, Bernstein, and Klosk), 74  
 Bertacchi, Silvio. (*See* Pazzanese and Bertacchi), 33  
 Bidder, Thomas G. (*See* Kline and Bidder), 254  
 Blevins, Anne. (*See* Mac Neal, Blevins, and Duryee), 668  
 —, and Mac Neal, Ward J. Actinomyces septicus from human endocarditis, 663  
 Bodlander, Jerome W. The Wolff-Parkinson-White syndrome in association with congenital heart disease: coarctation of the aorta, 785  
 Brannon, E. S. (*See* Merrill, Warren, Stead, and Brannon), 413  
 —, Stead, E. A., Jr., Warren, J. V., and Merrill, A. J. Hemodynamics of acute hemorrhage in man, 407  
 —. (*See* Warren, Brannon, Stead, and Merrill), 418  
 Brindley, Paul. (*See* Decherd, Ruskin, and Brindley), 352  
 Brown, Halla. (*See* Stewart, Evans, Haskell, and Brown), 617, 728  
 Brown, W. O. Myxoma of heart, 373  
 Budnitz, Joseph. (*See* Freed and Budnitz), 369  
 Burch, George E. (*See* Winsor and Burch), 387

### C

- Carr, David T., and Essex, Hiram E. Certain effects of positive pressure respiration on the circulatory and respiratory systems, 53  
 Cole, Julia. (*See* Paul, Rhomberg, and Cole), 138  
 Cunningham, Robert S. Differences in blood pressure values determined by inflating and deflating the cuff of the sphygmomanometer, 220

### D

- Dathe, Richard A., and Nathan, David A. Electrocardiographic changes resulting from phosphorus poisoning, 98  
 —. (*See* Nathan and Dathe), 115  
 Decherd, George M., Jr., Ruskin, Arthur, and Brindley, Paul. Interatrial and sinoatrial block, with an illustrative case, 352  
 DeGraff, Arthur C. (*See* Batterman, DeGraff, and Shorr), 431  
 Dehn, Helmut, Feil, Harold, and Rinderknecht, Robert E. Electrocardiographic changes in cases of infectious hepatitis, 183  
 Drapiewski, John F. (*See* Medalia and Drapiewski), 103  
 Durgin, Bernice. (*See* Zimmerman and Durgin), 93  
 Duryee, A. Wilbur. (*See* Mac Neal, Blevins, and Duryee), 668

### E

- Edelstein, Joseph M. Primary, massive calcification with ossification of the myocardium, 496  
 Eichert, Herbert. Transient bundle branch block associated with tachycardia, 511  
 Essex, Hiram E. (*See* Carr and Essex), 53  
 Ethridge, Clayton B. (*See* Manchester and Ethridge), 633  
 Evans, Willis F. (*See* Stewart, Evans, and Haskell), 343  
 —. (*See* Stewart, Evans, Haskell, and Brown), 617, 728

## F

- Fauteux, Mercier. Treatment of coronary disease with angina by pericoronary neurectomy combined with ligation of the great cardiac vein, 260
- Feil, Harold. (*See* Dehn, Feil, and Rinderknecht), 183
- Felknor, George E., and Pullen, Roscoe L. Mumps myocarditis, 238
- Fertman, M. H., and Wolff, Louis. Calcification of the mitral valve, 580
- Flynn, Joseph E., and Mann, Frank D. The presence and pathogenesis of endocardial and subendocardial degeneration, mural thrombi, and thromboses of the thebesian veins in cardiac failure from causes other than myocardial infarction, 757
- Fox, J. Robert. (*See* Herbut and Fox), 490
- Freed, Alexander N., and Budnitz, Joseph. Pure congenital pulmonary stenosis, 369
- Freundlich, J. Paroxysmal ventricular tachycardia, 557

## G

- Gilbert, N. C. (*See* Kyser, Ginsberg, and Gilbert), 451
- Ginsberg, Harold. (*See* Kyser, Ginsberg, and Gilbert), 451
- Glenn, Paul M., and Read, Hilton S. A case report of similar symptom produced by hyperactive carotid sinus reflex, angina pectoris, and myocardial infarction, 792
- Goetz, Robert H. The rate and control of the blood flow through the skin of the lower extremities, 146

## H

- Haskell, Helen S. (*See* Stewart, Evans and Haskell), 343
- (*See* Stewart, Evans, Haskell, and Brown), 617, 728
- Herbut, Peter A., and Fox, J. Robert. Persistent right aortic arch with atresia of the entire main pulmonary artery, 490
- Hollander, George. Electrocardiographic changes in scrub typhus fever, 481
- Howard, Frederick H. A method for the construction of the vectorecardiogram from the Einthoven electrocardiogram, 191
- A method for the orthodiagraphic measurement of the transverse diameter of the heart by means of the simple fluoroscope, 724
- Hussey, Hugh Hudson, Katz, Sol, and Yater, Wallace M. The superior vena caval syndrome; report of thirty-five cases, 1

## K

- Katz, L. N. (*See* Malinow, Katz, and Kondo), 702
- Katz, Sol. (*See* Hussey, Katz, and Yater), 1
- Kay, Calvin F., and Livingood, Clarence S. Myocardial complications of cutaneous diphtheria, 744
- Keith, Norman M., Pruitt, Raymond D., and Baggenstoss, Archie H. Electrocardiographic changes in pericarditis associated with uremia, 527
- Kline, Edward M., and Bidder, Thomas G. A study of the subjective sensations associated with extrasystoles, 254
- Klosk, Emanuel. (*See* Parsonnet, Bernstein, and Klosk), 769
- (*See* Parsonnet, Miller, Bernstein, and Klosk), 74
- Knighton, James E. (*See* Palatucci and Knighton), 364
- Kondo, B. (*See* Malinow, Katz, and Kondo), 702
- Kyser, Franklin A., Ginsberg, Harold, and Gilbert, N. C. The effect of certain drugs upon the cardiotoxic lesions of digitalis in the dog, 451

## L

- LaDue, John S., and Ashman, Richard. Electrocardiographic changes in acute glomerulonephritis, 685
- Levine, Harold D. Pathologic study of thirty-one cases of scrub typhus fever with especial reference to the cardiovascular system, 314
- Livingood, Clarence S. (*See* Kay and Livingood), 744
- Logue, Robert Bruce. (*See* Wallace and Logue), 223
- (*See* Wendkos and Logue), 711
- Luisada, Aldo A., and Sarnoff, Stanley J. Paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors. I. Effect of intra-arterial and intravenous infusions, 270
- and — Paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors. II. Mechanical and neurogenic elements, 282
- and — Paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors. III. Pharmacologic experiments, 293

## M

- McDonald, Roger K. The coincidence of auricular fibrillation and bacterial endocarditis, 308
- Macht, David I. Thromboplastic properties of some mercurial diuretics, 460

- Mac Neal, Ward J., Blevins, Anne, and Duryee, A. Wilbur. Clinical arrest of endocardial actinomycosis after forty-four million units of penicillin, 668
- (See Blevins and Mac Neal), 663
- Malinow, M. R., Katz, L. N., and Kondo, B. Is there a vagal pulmonocoronary reflex in pulmonary embolism? 702
- Manchester, Benjamin, and Ethridge, Clayton B. An evaluation of the use of multiple versus single precordial leads, in conjunction with the three limb leads, for practical clinical electrocardiography, 633
- Mann, Frank D. (See Flynn and Mann), 757
- Martland, Harrison S. (See Parsonnet, Bernstein, and Martland), 438
- Medalia, Leon S., and Drapiewski, John F. Congenital defect of the aortic vestibule complicated by bacterial endocarditis with perforation and death from cardiac tamponade, 103
- Merrill, A. J. (See Brannon, Stead, Warren, and Merrill), 407
- (See Warren, Brannon, Stead, and Merrill), 418
- , Warren, J. V., Stead, E. A., Jr., and Brannon, E. S. The circulation in penetrating wounds of the chest: a study by the method of right heart catheterization, 413
- Meyers, Lawrence, and Poindexter, Charles A. A study of the prothrombin time in normal subjects and in patients with arteriosclerosis, 27
- Miller, Ralph. (See Parsonnet, Miller, Bernstein, and Klosk), 74
- , and Perelman, Julius S. Multiple disturbances of rhythm and conduction and unusual auricular T wave in a case of myocardial infarction, 501
- Monroe, Willys M. Subacute bacterial endocarditis successfully treated with penicillin, 651
- N
- Nathan, David A., and Dathe, Richard A. Pericarditis with effusion following infections of the upper respiratory tract, 115
- (See Dathe and Nathan), 98
- P
- Palatucci, Oscar A., and Knighton, James E. Spontaneous mediastinal emphysema, 364
- Parsonnet, Aaron E., Bernstein, Arthur, and Klosk, Emanuel. Ventricular fibrillation, 769
- , Bernstein, Arthur, and Martland, Harrison, S. Massive left auricle with special reference to its etiology and mechanism, 438
- , Miller, Ralph, Bernstein, Arthur, and Klosk, Emanuel. Bigeminy, 74
- Paul, W. D., Rhomberg, C., and Cole, Julia. Transitory A-V block occurring during scarlet fever, 138
- Pazzanese, Dante, and Bertacchi, Silvio. Normal electrocardiograms in cardiovascular disease, 33
- Perelman, Julius S. (See Miller and Perelman), 501
- Poindexter, Charles A. (See Meyers and Poindexter), 27
- Pruitt, Raymond D. (See Keith, Pruitt, and Baggenstoss), 527
- Pullen, Roscoe L. (See Felknor and Pullen), 238
- R
- Read, Hilton S. (See Glenn and Read), 792
- Reichsman, Francis. Studies on pathogenesis of pulmonary edema following bilateral vagotomy, 590
- Rhomberg, C. (See Paul, Rhomberg, and Cole), 138
- Rinderknecht, Robert E. (See Dehn, Feil, and Rinderknecht), 183
- Ruskin, Arthur. (See Decherd, Ruskin, and Brindley), 352
- Rutstein, David D. (See Thomson, Rutstein, Tolmack, and Walker), 565
- S
- Sarnoff, Stanley J. (See Luisada and Sarnoff), 270, 282, 293
- Schlamowitz, Isadore. An analysis of the time relationships within the cardiac cycle in electrocardiograms of normal men. I. The duration of the Q-T interval and its relationship to the cycle length (R-R interval), 329
- An analysis of the time relationships within the cardiac cycle in electrocardiograms of normal men. II. The duration of the T-P interval and its relationship to the cycle length (R-R interval), 464
- An analysis of the time relationships within the cardiac cycle in electrocardiograms of normal men. III. The duration of the P-R interval and its relationships to the cycle length (R-R interval), 473
- Shorr, Harold M. (See Batterman, DeGraff, and Shorr), 431
- Sprague, Howard B. The effects of malaria on the heart, 426
- Stead, E. A., Jr. (See Brannon, Stead, Warren, and Merrill), 407
- (See Merrill, Warren, Stead, and Brannon), 413

—, (See Warren, Brannon, Stead, and Merrill), 418

Stein, Irwin. The effects of change of position of the arm upon blood pressure, 477

Stewart, Harold J., Evans, Willis F., and Haskell, Helen S. The peripheral blood flow under basal conditions in older male subjects with normal and elevated blood pressures, 343

—, —, —, and Brown, Halla. The effect of splanchnic resection on the peripheral blood flow and rectal and skin temperatures in hypertension, 728

—, —, —, and —. The peripheral blood flow and rectal and skin temperatures in hypertension, 617

## T

Thomson, K. Jefferson, Rutstein, David D., Tolmack, Daniel M., and Walker, William H. Electrocardiographic studies during and after pneumococcus pneumonia, 565

Tolmack, Daniel M. (See Thomson, Rutstein, Tolmack, and Walker), 565

## W

Walker, William H. (See Thomson, Rutstein, Tolmack, and Walker), 565

Wallace, Joseph J., and Logue, Robert Bruce. Metastatic carcinoma as a cause of constrictive pericarditis, 223

Ward, Lawrence S. Abnormal electrocardiogram following recovery from paroxysmal tachycardia, 645

Warren, J. V., Brannon, E. S., Stead, E. A., Jr., and Merrill, A. J. Pericardial tamponade from stab wound of the heart and pericardial effusion or empyema: a study utilizing the method of right heart catheterization, 418

—, (See Brannon, Stead, Warren, and Merrill), 407

—, (See Merrill, Warren, Stead, and Brannon), 413

Wendkos, Martin H., and Logue, Robert Bruce. Unstable T waves in Leads II and III in persons with neuro-circulatory asthenia, 711

Winsor, Travis, and Burch, George E. Use of the phlebomanometer; normal venous pressure values and a study of certain clinical aspects of venous hypertension in man, 387

Wolff, Louis. (See Fertman and Wolff), 580

## Y

Yater, Wallace M. (See Hussey, Katz, and Yater), 1

York, J. S., and Bell, John W. Fatal coronary failure without infarction: report of a case, 780

## Z

Ziegler, Robert F. The cure of subacute bacterial endarteritis by surgical ligation in a patient with patent ductus arteriosus complicated by the presence of multiple congenital cardiac defects, 231

Zimmerman, Joseph J., and Durgin, Bernice. Staphylococcus aureus septicemia and pericarditis treated with penicillin, 93

## SUBJECT INDEX\*

### A

- Abscess, brain, with congenital heart disease, 384\*
- Acetylcholine and epinephrine, action of, on turtle ventricle, 381\*
- effect of, on atropinized denervated heart, 382\*
- hypertensive accidents following injection of, 805\*
- Actinomyces septicus from human endocarditis (Blevins and Mac Neal), 663
- Actinomycosis, endocardial, clinical arrest of, after forty-four million units of penicillin (Mac Neal et al.), 663
- Activity, physical, early, in rheumatic fever, therapeutic value of, preliminary report, 384\*
- Adenomas, small, of adrenal cortex in hypertension and diabetes, 520\*
- Anastomosis, observations relating to cardiac hypertrophy produced in rabbit by arteriovenous anastomosis, effect of closure of, 243\*
- Anesthesia, ether, bilateral cervical vagotomy and sympathectomy in rat under (Reichsman), 595
- urethane, bilateral cervical vagotomy under (Reichsman), 599
- Angina pectoris and tobacco, 525\*
- hyperactive carotid sinus reflex, and myocardial infarction, case report of similar symptoms produced by (Glenn and Read), 792
- paravertebral block and electrocardiogram in, 802\*
- treatment of coronary disease with, by pericoronary neurectomy combined with ligation of great cardiac vein (Fauteux), 260
- Anginal syndrome, treatment of, with thiouracil, 247\*
- Announcement, 113
- Aorta, coarctation and acute dissection of, associated with pregnancy, 247\*
- congenital, and its surgical treatment, 381\*
- surgical correction for, 380\*
- Wolff-Parkinson-White syndrome in association with congenital heart disease (Bodlander), 785
- Aortic arch, persistent right, with atresia of entire main pulmonary artery (Herbut and Fox), 490
- insufficiency, changes in coronary circulation in course of, in young subjects, 804\*
- vestibule, congenital defect of, complicated by bacterial endocarditis with perforation and death from cardiac tamponade (Medalia and Drapiewski), 103

- Arm, effect of change of position of, upon blood pressure (Stein), 477
- Arrhythmia, sinus, on cause of respiratory variation of ballistocardiogram, with note on, 659\*
- Arterial pressure, pulmonary, in dogs, measurement of, 107\*
- Arteriosclerosis, experimental; VIII. Effect of feeding olive oil on absorption and deposition of cholesterol, 381\*
- study of prothrombin time in normal subjects and in patients with (Meyers and Poindexter), 27
- Arteriovenous anastomosis, effect of closure of anastomosis, observations relating to cardiac hypertrophy produced in rabbit by, 243\*
- Artery, pulmonary, contribution to study of congenital dilatation of, 656\*
- entire main, persistent right aortic arch with atresia of (Herbut and Fox), 590
- Arthritis, rheumatoid, characteristic vascular pattern in patients with, 380\*
- Asthenia, neurocirculatory, unstable T waves in Leads II and III in persons with (Wendkos and Logue), 711
- Atresia of entire main pulmonary artery, persistent right aortic arch with (Herbut and Fox), 490
- Atropinized denervated heart, effect of acetylcholine on, 382\*
- Auricle, massive left, with special reference to its etiology and mechanism (Parsonnet et al.), 438
- Auricular fibrillation and bacterial endocarditis, coincidence of (McDonald), 308
- functional paroxysmal, 800\*
- heart sounds, recognition and clinical significance of, 659\*
- T wave, unusual, multiple disturbances of rhythm and conduction and, in case of myocardial infarction (Miller and Perelman), 501
- Auriculoventricular dissociation, flutter and, in patient with myopathy, 804\*
- Auscultation, intrathoracic, in pneumothorax, 800\*
- A-V block, transitory, occurring during scarlet fever (Paul et al.), 138

### B

- Bacterial endarteritis, subacute, cure of, by surgical ligation in patient with patent ductus arteriosus complicated by presence of multiple congenital cardiac defects (Ziegler), 231
- endocarditis, coincidence of auricular fibrillation and (McDonald), 308

\*An asterisk (\*) after a page number indicates the reference is an abstract and not an original article.



## Bacterial endocarditis—Cont'd

- ineffectiveness of penicillin in some cases of, 380\*
  - subacute, penicillin treatment of, 384\*
  - Streptococcus s. b. e.* in, 383\*
  - treated with penicillin (Monroe), 651
  - with perforation and death from cardiac tamponade, congenital defect of aortic vestibule complicated by (Medalia and Drapiewski), 103
- Ballistocardiogram, on cause of respiratory variation of, with note on sinus arrhythmia, 659\*
- Basal conditions, peripheral blood flow under, in older male subjects with normal and elevated blood pressures (Stewart et al.), 343
- Bigeminal rhythm, persistent ventricular, in apparently normal hearts, 659\*
- rhythms, electrocardiographic (Parsonnet et al.), 75
- Bigeminy (Parsonnet et al.), 74
- Block, bundle branch, transient, associated with tachycardia (Eichert), 511
- interatrial and sinoatrial, with illustrative case (Decherd et al.), 352
- Blood flow, cerebral, cerebral oxygen consumption, cardiac output, and blood pressure of normal young men, effects of active and passive hyperventilation of, 801\*
- effect of body heating on (Goetz), 162
- in peripheral vascular diseases (Goetz), 173
- in sympathectomized extremities (Goetz), 168
- peripheral, and rectal and skin temperatures in hypertension (Stewart et al.), 617
- and rectal and skin temperatures in hypertension, effect of splanchnic resection on (Stewart et al.), 728
- under basal conditions in older male subjects with normal and elevated blood pressures (Stewart et al.), 343
- rate of, in toes (Goetz), 158
- through skin of lower extremities, rate and control of (Goetz), 146
- pressure and serum thiocyanate, relation of, 385\*
- cerebral blood flow, cerebral oxygen consumption, cardiac output and effects of active and passive hyperventilation of, 801\*
- effect of change of position of arm upon (Stein), 477
- in hypertension, range of, 383\*
- of patients with hypertension and far-advanced renal disease, effect of high spinal anesthesia on—its possible relationship to pathogenesis of hypertension (V); studies in hypertension, 379\*

## Blood pressure—Cont'd

- pulse rate and, in infancy and early childhood, 378\*
  - values determined by inflating and deflating cuff of sphygmomanometer (Cunningham), 220
  - pressures, normal and elevated, peripheral blood flow under basal conditions in older male subjects with (Stewart et al.), 343
  - transfusion, intracardiac, 385\*
  - volume determination, plasma and, in bilaterally vagotomized rats (Reichsman), 605
- Body heating, effect of, on blood flow (Goetz), 162
- Book reviews, 251, 661
- Brain abscess with congenital heart disease, 384\*
- and heart, combined acute vascular lesions of, clinical-pathologic study of fifteen cases, 248\*
- Buerger's disease, 654\*
- Bundle branch block, transient, associated with tachycardia (Eichert), 511
- Burn shock, nature of circulatory changes in, 524\*

## C

- Calcification of mitral valve (Fertman and Wolff), 580
- primary, massive, with ossification of myocardium (Edelstein), 496
- Carcinoma, metastatic, as cause of constrictive pericarditis (Wallace and Logue), 223
- Cardiac complications in infectious mononucleosis, electrographic evidence of, 655\*
- cycle in electrocardiograms of normal men, analysis of time relationships within (Schlamowitz), 329, 464, 473
- damage, residual, question of, in scrub typhus (Levine), 326
- defects, multiple congenital, cure of subacute bacterial endarteritis by surgical ligation in patient with patent ductus arteriosus complicated by presence of (Ziegler), 231
- drive, venous return in absence of, 382\*
- dysfunction, relation of nutritional deficiency to, 525\*
- failure from causes other than myocardial infarction, presence and pathogenesis of endocardial and subendocardial degeneration, mural thrombi, and thromboses of thebesian veins in (Flynn and Mann), 757
- injury potential, development and contour of, 525\*

- Cardiac—Cont'd
- output, cerebral blood flow, cerebral oxygen consumption, and blood pressure of normal young men, effects of active and passive hyperventilation of, 801\*
  - in man, study of some of errors of right heart catheterization, 654\*
  - reaction to right and left pneumothorax, considerations of, 524\*
  - tamponade, congenital defect of aortic vestibule complicated by bacterial endocarditis with perforation and death from (Medalia and Drapiewski), 103
  - vein, great, treatment of coronary disease with angina by pericoronary neurectomy combined with ligation of (Fauteux), 260
- Cardioinhibitory vagus endings in dog, blocking action of cinchona alkaloids and certain related compounds on, 242\*
- Cardio-pulmonal function during pregnancy, 251 (B. Rev.)
- Cardiotoxic lesions of digitalis in dog, effect of certain drugs upon (Kyser et al.), 451
- Cardiovascular defects, congenital, physiopathology and surgical treatment of, 519\*
- disease, normal electrocardiograms in (Pazzanese and Bertacchi), 33
  - disturbances in tsutsugamushi disease, 248\*
  - receptors, paroxysmal pulmonary edema consequent to stimulation of; I. Effect of intra-arterial and intravenous infusions (Luisada and Sarnoff), 270
    - II. Mechanical and neurogenic elements (Luisada and Sarnoff), 282
    - III. Pharmacologic experiments (Luisada and Sarnoff), 293
  - system, gout and its effect on, 111\*
  - pathologic study of thirty-one cases of scrub typhus fever with especial reference to (Levine), 314
- Carotid shudder, 379\*
- sinus, hyperactive, reflex, angina pectoris, and myocardial infarction, case report of similar symptoms produced by (Glenn and Read), 792
  - stimulation, hemiplegia following (Askey), 131
  - other cerebral disturbances following (Askey), 135
- Catheterization, right heart, study by method of; circulation in penetrating wounds of chest (Merrill et al.), 413
- study of some of errors in method of: cardiac output in man, 654\*
- Catheterization, right heart—Cont'd
- study utilizing method of; pericardial tamponade from stab wound of heart and pericardial effusion or empyema (Warren et al.), 418
- Cervical vagotomy, bilateral, and sympathectomy in rat under ether anesthesia (Reichsman), 595
- under urethane anesthesia (Reichsman), 599
  - left, right thoracic and (Reichsman), 600
- Chest, circulation in penetrating wounds of; study by method of right heart catheterization (Merrill et al.), 413
- leads, configuration of epicardial and endocardial extrasystoles in, 655\*
- Childhood, early, infancy and, pulse rate and blood pressure in, 378\*
- precordial leads in; comment on presence of double upward deflections in leads from sternal region of normal children, 657\*
- Children, Denver school, prevalence of rheumatic heart disease in, 250\*
- prevention of rheumatic recurrences in, by use of sulfathiazole and sulfadiazine, 379\*
- Cholesterol, effect of feeding olive oil on absorption and deposition of (VIII); experimental arteriosclerosis, 381\*
- Cinchona alkaloids and certain related compounds, blocking action of, on cardioinhibitory vagus endings in dog, 242\*
- Circulation, effects of malaria on (Sprague), 427
- failure in hunger edema, 383\*
  - in constrictive pericarditis, induced changes in, 803\*
  - in experimental neurogenic hypertension, 110\*
  - in penetrating wounds of chest; study by method of right heart catheterization (Merrill et al.), 413
  - lying and standing, of tremor, and of program of bed exercises and early rising, studies of (I); convalescence of surgical procedures, 249\*
- Circulatory and respiratory systems, certain effects of positive pressure respiration on (Carr and Essex), 53
- changes in burn shock, nature of, 524\*
- Coarctation and acute dissection of aorta associated with pregnancy, 247\*
- congenital, of aorta and its surgical treatment, 381\*
  - of aorta; experimental studies regarding its surgical correction, 112\*
  - surgical correction for, 380\*
  - Wolff-Parkinson-White syndrome in association with congenital heart disease (Bodlander), 785

- Cold, heat and, action of, on electrogram of cardiac ventricle, 107\*
- Conduction, multiple disturbances of rhythm and, unusual auricular T wave in case of myocardial infarction (Miller and Perelman), 501
- Congenital defect of aortic vestibule complicated by bacterial endocarditis with perforation and death from cardiac tamponade (Medalia and Drapiewski), 103
- heart disease, Wolff-Parkinson-White syndrome in association with: coarctation of aorta (Bodlander), 785
- Congestive heart failure, right ventricular, venous pressure in patients with (Winsor and Burch), 397
- Constrictive pericarditis, metastatic carcinoma as cause of (Wallace and Logue), 223
- Construction of vectorcardiogram from Einthoven electrocardiogram, method for (Howard), 191
- Control, rate and, of blood flow through skin of lower extremities (Goetz), 146
- Cor pulmonale, chronic, 522\*
- Coronary artery disease among physicians, 243\*
- circulation, changes in, in course of aortic insufficiency in young subjects, 804\*
- disease, hypoxemia tests in, 802\*
- with angina, treatment of, by pericoronary neurectomy combined with ligation of great cardiac vein (Fauteux), 260
- failure, fatal, without infarction: report of case (York and Bell), 780
- thrombosis, acute, dicumarol in, 522\*
- Cuff or sphygmomanometer, differences in blood pressure values determined by inflating and deflating (Cunningham), 220
- Curacao, Netherlands West Indies, occurrence of rheumatic carditis in native population of, 658\*
- Cutaneous diphtheria, myocardial complications of (Kay and Livingood), 744
- Cycle, cardiac, in electrocardiograms of normal men, analysis of time relationships within (Schlamowitz), 329, 464, 473
- length (R-R interval), duration of P-R interval and its relationship to (Schlamowitz), 473
- duration of Q-T interval and its relationship to (Schlamowitz), 329
- duration of T-P interval and its relationship to (Schlamowitz), 464
- D
- Death following intravenous administration of papaverine hydrochloride, 243\*
- perforation and, from cardiac tamponade, congenital defect of aortic vestibule complicated by bacterial endocarditis with (Medalia and Drapiewski), 103
- Defect, congenital, of aortic vestibule complicated by bacterial endocarditis with perforation and death from cardiac tamponade (Medalia and Drapiewski), 103
- Defects, congenital, following maternal rubella, 656\*
- multiple congenital cardiac, cure of subacute bacterial endarteritis by surgical ligation in a patient with patent ductus arteriosus complicated by presence of (Ziegler), 231
- Degeneration, endocardial and subendocardial, mural thrombi, and thromboses of thebesian veins, presence and pathogenesis of, in cardiac failure from causes other than myocardial infarction (Flynn and Mann), 757
- Dehydration, salt depletion and, hemodynamic changes in, 660\*
- Denver school children, prevalence of rheumatic heart disease in, 250\*
- Diabetes, hypertension and, small adenomas of adrenal cortex in, 520\*
- Diameter, transverse, of heart, method for orthodiagraphic measurement of, by means of simple fluoroscope (Howard), 724
- Dicumarol in acute coronary thrombosis, 522\*
- Digitalis, effect of certain drugs upon cardiotoxic lesions of, in dog (Kyser et al.), 451
- Dilatation, congenital, of pulmonary artery, contribution to study of, 656\*
- Diphtheria, cutaneous, myocardial complications of (Kay and Livingood), 744
- Dissection, acute, coarctation and, of aorta associated with pregnancy, 247\*
- Disturbances, multiple, of rhythm and conduction and unusual auricular T wave in case of myocardial infarction (Miller and Perelman), 501
- Diuretics, mercurial; intolerance as shown by skin sensitivity, 378\*
- thromboplastic properties of some (Macht), 460
- Drugs, certain, effect of, upon cardiotoxic lesions of digitalis in dog (Kyser et al.), 451
- Ductus arteriosus, patent, complicated by presence of multiple congenital cardiac defects, cure of subacute bacterial endarteritis by ligation in patient with (Ziegler), 231
- Dystrophy, progressive muscular, changes in musculature of gastrointestinal tract and in myocardium in, 242\*



## E

- Edema, hunger, circulation failure in, 383\*  
 paroxysmal pulmonary, consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 270, 282, 293  
 pulmonary, following bilateral vagotomy, studies on pathogenesis of (Reichsman), 590  
 general considerations on mechanism of (Luisada and Sarnoff), 303
- Effusion, pericardial, or empyema, pericardial tamponade from stab wound of heart and; study utilizing method of right heart catheterization (Warren et al.), 418  
 pericarditis with, following infections of upper respiratory tract (Nathan and Dathe), 115
- Einthoven electrocardiogram, method for construction of vectorcardiogram from (Howard), 191
- Ejection, cardiac, action of, on venous return, 655\*
- Electrocardiogram, abnormal, following recovery from paroxysmal tachycardia (Ward), 645  
 abnormalities in, following hemolytic streptococcus sore throat, 658\*  
 Einthoven, method for construction of vectorcardiogram from (Howard), 191  
 paravertebral block and, in angina pectoris, 802\*  
 prognostic value of, 661 (B. Rev.)
- Electrocardiograma, valor pronostico del, 661 (B. Rev.)
- Electrocardiograms in traumatic shock in man, 244\*  
 normal, in cardiovascular disease (Pazzanese and Bertacchi), 33  
 of normal men, analysis of time relationships with cardiac cycle in; I. Duration of Q-T interval and its relationship to cycle length (R-R interval) (Schlamowitz), 329  
 II. Duration of T-P interval and its relationship to cycle length (R-R interval) (Schlamowitz), 464  
 III. Duration of P-R interval and its relationship to cycle length (R-R interval) (Schlamowitz), 473
- Electrocardiographic bigeminal rhythms (Parsonnet et al.), 75  
 changes following heat stroke, 383\*  
 in acute glomerulonephritis (LaDue and Ashman), 685  
 in cases of infectious hepatitis (Dehn et al.), 183  
 in pericarditis associated with uremia (Keith et al.), 527  
 in scrub typhus fever (Hollander), 481  
 resulting from phosphorus poisoning (Dathe and Nathan), 98
- Electrocardiographic—Cont'd  
 effects of injury at endocardial surface of left ventricle (Bayley), 677  
 studies during and after pneumococcus pneumonia (Thomson et al.), 565
- Electrocardiography, practical clinical, evaluation of use of multiple versus single precordial leads in conjunction with three limb leads for (Manchester and Ethridge), 633
- Electrogram of cardiac ventricle, action of heat and cold on different components of, 107\*
- Emboli in retinal arteries, clinical differentiation of, from endarteritis, 245\*
- Embolism, pulmonary, is there vagal pulmonocoronary reflex in? (Malinow et al.), 702  
 ligation of inferior vena cava for prevention of, 243\*
- Emetine, effects of, on heart, 379\*
- Emphysema, pulmonary, following prolonged positive pressure respiration (Carr and Essex), 68  
 spontaneous mediastinal (Palatucci and Knighton), 364
- Empyema, pericardial effusion or, pericardial tamponade from stab wound of heart and; study utilizing method of right heart catheterization (Warren et al.), 418
- Encephalitis, meningo, rheumatic heart disease associated with, 113\*
- Endarteritis, clinical differentiation of emboli in retinal arteries from, 245\*
- Endocardial actinomycosis, clinical arrest of, after forty-four million units of penicillin (Mac Neal et al.), 668  
 and subendocardial degeneration, mural thrombi, and thromboses of thebesian veins, presence and pathogenesis of, in cardiac failure from causes other than myocardial infarction (Flynn and Mann), 757  
 surface of left ventricle, electrocardiographic effects of injury at (Bayley), 677
- Endocarditis, bacterial, coincidence of auricular fibrillation and (McDonald), 308  
 ineffectiveness of penicillin in some cases of, 380\*  
 with perforation and death from cardiac tamponade, congenital defect of aortic vestibule complicated by (Medalia and Drapiewski), 103  
 enterococcal, clinical arrest in, 382\*  
 experimental, rheumatic-like and bacterial in rats, 111\*  
 human, Actinomyces septicus from (Blevins and Mac Neal), 663  
 subacute bacterial, penicillin treatment of, 384\* (Monroe), 651, 658\*  
 Streptococcus s.b.e. in, 383\*

- Enterococcal endocarditis, clinical arrest in, 382\*
- Epinephrine, acetylcholine and, action of, on turtle ventricle, 381\*
- Esophago-cardiogram, 800\*
- Ether anesthesia, bilateral cervical vagotomy and sympathectomy in rat under (Reichsman), 595
- Etiology and mechanism, massive left auricle with special reference to (Parsonnet et al.), 438
- Exercise, bed, and early rising, studies of circulation lying and standing, of tremor, and of (I); convalescence from surgical procedures, 249\*
- effect of, on size and shape of T wave (Dehn et al.), 188
- step-up, on benches of different heights, pulse reaction to performing, 654\*
- test, mild, studies of various physiological responses to (II); convalescence from surgical procedures, 249\*
- Experiments, pharmacologic (III); paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 293
- Extrasystoles, epicardial and endocardial, configuration of, in chest leads, 655\*
- study of subjective sensations associated with (Kline and Bidder), 254
- Extremities, lower, rate and control of blood flow through skin of (Goetz), 146
- venous pressures in disorders of venous system of, 380\*
- sympathectomized, blood flow in (Goetz), 168
- F
- Fibrillation, auricular, and bacterial endocarditis, coincidence of (McDonald), 308
- functional paroxysmal auricular, 800\*
- ventricular (Parsonnet et al.), 769
- Fluoroscope, simple, method for orthodiagraphic measurement of transverse diameter of heart by means of (Howard), 724
- Flutter and auriculoventricular dissociation in patient with myopathy, 804\*
- Frostbite, human, experimental subcutaneous heparin in Pitkin menstruum for treatment of, 799\*
- G
- Gastrointestinal tract, changes in musculature of, and in myocardium in progressive muscular dystrophy, 242\*
- Glomerulonephritis, acute, electrocardiographic changes in (LaDue and Ashman), 685
- Gout and its effect on cardiovascular system, 111\*
- H
- Harveian oration on rheumatic fever and rheumatic heart disease, 246\*
- Headache, typical, of essential hypertension; etiological considerations and report of new form of therapy, 250\*
- Heart and other organs, pathologic changes in, in scrub typhus fever (Levine), 315
- atropinized denervated, effect of acetylcholine on, 382\*
- brain and combined acute vascular lesions of, clinical-pathologic study of fifteen cases, 248\*
- disease, congenital, brain abscess with, 384\*
- Wolff-Parkinson-White syndrome in association with: coarctation of aorta (Bodlander), 785
- or hypertension, re-examination of veterans discharged because of, 520\*
- effects of emetine on, 379\*
- of malaria on (Sprague), 426
- failure, congestive, in scrub typhus (Levine), 325
- left ventricular, insomnia due to, 385\*
- right ventricular congestive, venous pressure in patients with (Winsor and Burch), 397
- mechanism of action of jaundice on (Dehn et al.), 187
- method for orthodiagraphic measurement of transverse diameter of, by means of simple fluoroscope (Howard), 724
- myxoma of (Brown), 373
- right, catheterization, circulation in penetrating wounds of chest (Merrill et al.), 413
- pericardial tamponade from stab wound of heart and pericardial effusion or empyema (Warren et al.), 418
- sounds, auricular, recognition and clinical significance of, 659\*
- stab wound of, and pericardial effusion or empyema, pericardial tamponade from; study utilizing method of right heart catheterization (Warren et al.), 418
- tracheobronchial tree, and inferior vena cava of normal dogs, effects of positive pressure respiration on (Carr and Essex), 61
- Hearts, apparently normal, persistent ventricular bigeminal rhythm in, 659\*
- Heat and cold, action of, on different components of electrogram of cardiac ventricle, 107\*
- stroke, electrocardiographic changes following, 383\*
- Hemiplegia following carotid sinus stimulation (Askey), 131
- Hemodynamic changes in salt depletion and in dehydration, 660\*

- Hemodynamics of acute hemorrhage in man (Brannon et al.), 407
- Hemolytic streptococcus sore throat, abnormalities in electrocardiogram following, 658\*
- Hemorrhage, acute, in man, hemodynamics of (Brannon et al.), 407  
or trauma of limbs, effects of positive pressure respiration on circulation and respiration when combined with (Carr and Essex), 64
- Hemorrhagic phenomena in scrub typhus (Levine), 325  
shock; definition and criteria for its diagnosis, 660\*
- Heparin, subcutaneous, in Pitkin menstruum for treatment of experimental human frostbite, 799\*
- Hepatitis, infectious, electrocardiographic changes in cases of (Dehn et al.), 183
- Hyperactive carotid sinus reflex, angina pectoris, and myocardial infarction, case report of similar symptoms produced by (Glenn and Read), 792
- Hypersensitivity and rheumatic fever, 801\*
- Hypertension and diabetes, small adenomas of adrenal cortex in, 520\*  
arterial, critical study of medical treatment of, 523\*  
mitral stenosis and, 805\*  
production of, by chronic renal artery-nerve stimulation, 246\*  
surgical treatment of, 521\*  
effect of splanchnic resection on peripheral blood flow and rectal and skin temperatures in (Stewart et al.), 728  
essential, typical headache of; etiological considerations and report of new form of therapy, 250\*  
experimental neurogenic, circulation in, 110\*  
heart disease or, re-examination of veterans discharged because of, 520\*  
human, treatment of, with kidney extract, 799\*  
peripheral blood flow and rectal and skin temperatures in (Stewart et al.), 617  
range of blood pressure in, 383\*  
sodium restriction in diet for, 112\*  
studies in; V. Effect of high spinal anesthesia on blood pressure of patients with hypertension and far-advanced renal disease—its possible relationship to pathogenesis of hypertension, 379\*  
venous, in man, normal venous pressure values and study of certain clinical aspects of; use of phlebomanometer (Winsor and Burch), 387
- Hypertensive accidents following injection of acetylcholine, 805\*  
cardiovascular disease, essential, in man, experiences with surgical treatment of, 245\*
- Hypertrophy, cardiac, produced in rabbit by arteriovenous anastomosis, effect of closure of anastomosis, observations relating to, 243\*
- Hypoxemia tests in coronary disease, 802\*
- I
- In memoriam—Fred M. Smith, 253
- Infancy and early childhood, pulse rate and blood pressure in, 378\*
- Infarction, fatal coronary failure without: report of case (York and Bell), 780  
myocardial, case report of similar symptoms produced by hyperactive carotid sinus reflex, angina pectoris, and (Glenn and Read), 792  
multiple disturbances of rhythm and conduction and unusual auricular T wave in case of (Miller and Perelman), 501  
presence and pathogenesis of endocardial and subendocardial degeneration, mural thrombi, and thromboses of thebesian veins in cardiac failure from causes other than (Flynn and Mann), 757
- Infections of upper respiratory tract, pericarditis with effusion following (Nathan and Dathe), 115
- Infectious hepatitis, electrocardiographic changes in cases of (Dehn et al.), 183
- Inferior vena cava, ligation of, for prevention of pulmonary embolism, 243\*
- Infusions, intra-arterial and intravenous, effect of (I); paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 270
- Injury at endocardial surface of left ventricle, electrocardiographic effects of (Bayley), 677  
potential, cardiac, development and contour of, 525\*
- Insomnia due to left ventricular heart failure, 385\*
- Inspiratory and expiratory resistance, rats breathing against (Reichsman), 603  
resistance, rats breathing against (Reichsman), 601
- Interatrial and sinoatrial block, with illustrative case (Decherd et al.), 352
- Intolerance as shown by skin sensitivity; mercurial diuretics, 378\*
- Intra-abdominal pressure and regulation of venous return, 107\*

- Intra-arterial infusions, effect of (I); paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 270
- Intravenous, infusions, effect of (I); paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 270
- J**
- Jaundice, mechanism of action of, on heart (Dehn et al.), 187
- K**
- Kidney extract, treatment of human hypertension with, 799\*
- L**
- Leads II and III, unstable T waves in, in persons with neurocirculatory asthenia (Wendkos and Logue), 711
- chest, configuration of epicardial and endocardial extrasystoles in, 655\*
- precordial, in childhood; comment on presence of double upward deflections in leads from sternal region of normal children, 657\*
- multiple versus single, evaluation of use of, in conjunction with three limb leads, for practical clinical electrocardiography (Manchester and Ethridge), 633
- Lesions, cardiotoxic, of digitalis in dog, effect of certain drugs upon (Kyser et al.), 451
- Letters, 377
- Ligation of great cardiac vein, treatment of coronary disease with angina by pericoronary neurectomy combined with (Fauteux), 260
- coronary vein in man (Fauteux), 261
- Limb leads, three, evaluation of use of multiple versus single precordial leads in conjunction with, for practical clinical electrocardiography (Manchester and Ethridge), 633
- Lower extremities, rate and control of blood flow through skin of (Goetz), 146
- M**
- Malaria, effects of, on heart (Sprague), 426
- Maternal rubella, congenital defects following, 656\*
- Mechanical and neurogenic elements (II); paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 282
- Mechanism, etiology and, massive left auricle with special reference to (Parsonnet et al.), 438
- Mediastinal emphysema, spontaneous (Palatucci and Knighton), 364
- Medical treatment of arterial hypertension, critical study of, 523\*
- Meningo encephalitis, rheumatic heart disease associated with, 113\*
- Mercupurin administered orally, further observations on use of (Batterman et al.), 431
- Mercurial diuretics; intolerance as shown by skin sensitivity, 378\*
- thromboplastic properties of some (Macht), 460
- Metastatic carcinoma as cause of constrictive pericarditis (Wallace and Logue), 223
- Method for construction of vectorcardiogram from Einthoven electrocardiogram (Howard), 191
- Mitral valve, calcification of (Fertman and Wolff), 580
- Mononucleosis, infectious, electrographic evidence of cardiac complications in, 655\*
- Morgagni-Adams-Stokes syndrome, special reference to; ventricular fibrillation (Parsonnet et al.), 769
- Mumps (epidemic parotitis), acute myocarditis in, 523\*
- myocarditis (Felknor and Pullen), 238
- Mural thrombi, endocardial and subendocardial degeneration, and thromboses of thebesian veins, presence and pathogenesis of, in cardiac failure from causes other than myocardial infarction (Flynn and Mann), 757
- Musculature of gastrointestinal tract, changes in, and in myocardium in progressive muscular dystrophy, 242\*
- Myocardial complications of cutaneous diphtheria (Kay and Livingood), 744
- infarction, case report of similar symptoms produced by hyperactive carotid sinus reflex, angina pectoris, and (Glenn and Read), 792
- multiple disturbances of rhythm and conduction and unusual auricular T wave in case of (Miller and Perelman), 501
- presence and pathogenesis of endocardial and subendocardial degeneration, mural thrombi, and thromboses of thebesian veins in cardiac failure from causes other than (Flynn and Mann), 757
- Myocarditis, acute, in mumps (epidemic parotitis), 523\*
- nonspecific, 112\*
- mumps (Felknor and Pullen), 238

- Myocardium, musculature of gastrointestinal tract and, changes in, in progressive muscular dystrophy, 242\*
- primary, massive calcification with ossification of (Edelstein), 496
- Myopathy, flutter and auriculoventricular dissociation in patient with, 804\*
- Myxedema with pericardial effusion, 803\*
- Myxoma of heart (Brown), 373
- N
- Neurectomy, pericoronary (Fauteux), 263  
combined with ligation of great cardiac vein, treatment of coronary disease with angina by (Fauteux), 260
- Neurocirculatory asthenia, unstable T waves in Leads II and III in persons with (Wendkos and Logue), 711
- Neurogenic, mechanical and, elements (II); paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 282
- Nodal rhythm, chronic experimental, three observations on, by surgical ablation of sinus node, 804\*
- Nodules in rheumatic fever, 110\*
- Normal men, analysis of time relationships within cardiac cycle in electrocardiograms (Schlamowitz), 329, 464, 473
- Nutritional deficiency, relation of, to cardiac dysfunction, 525\*
- O
- Olive oil, effect of feeding, on absorption and deposition of cholesterol (VIII); experimental arteriosclerosis, 381\*
- Orthodiagraphic measurement of transverse diameter of heart, method for, by means of simple fluoroscope (Howard), 724
- Ossification of myocardium, primary, massive calcification with (Edelstein), 496
- Oxygen consumption, cerebral, cerebral blood flow, cardiac output, and blood pressure of normal young men, effects of hyperventilation of, 801\*
- P
- P wave, pulmonary, comparative study of, in chronic mitral and pulmonary disease, 108\*
- Papaverine hydrochloride, death following intravenous administration of, 243\*
- Paravertebral block and electrocardiogram in angina pectoris, 802\*
- Paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 270, 282, 293
- tachycardia, abnormal electrocardiogram following recovery from (Ward), 645
- ventricular tachycardia (Freudlich), 557
- Patent ductus arteriosus complicated by presence of multiple congenital cardiac defects, cure of subacute bacterial endarteritis by surgical ligation in patient with (Ziegler), 231  
surgical therapy of, 110\*
- Pathogenesis of pulmonary edema following bilateral vagotomy, studies on (Reichsman), 590
- Pathologic study of thirty-one cases of scrub typhus fever with especial reference to cardiovascular system (Levine), 314
- Penetrating wounds of chest, circulation in; study by method of right heart catheterization (Merrill et al.), 413
- Penicillin, clinical arrest of endocardial actinomycosis after forty-four million units of (Mac Neal et al.), 668  
ineffectiveness of, in some cases of bacterial endocarditis, 380\*
- intrapericardial, pneumococcal pericarditis treated with, 381\*
- Staphylococcus aureus septicemia and pericarditis treated with (Zimmerman and Durgin), 93  
treatment of subacute bacterial endocarditis, 384\* (Monroe), 651, 658\*
- Perforation and death from cardiac tamponade, congenital defect of aortic vestibule complicated by bacterial endocarditis with (Medalia and Drapiewski), 103
- Pericardial effusion, myxedema with, 803\*  
or empyema, pericardial tamponade from stab wound of heart and (Warren et al.), 418  
tamponade from stab wound of heart and pericardial effusion or empyema (Warren et al.), 418
- Pericarditis associated with uremia, electrocardiographic changes in (Keith et al.), 527  
constrictive, induced changes in circulation in, 803\*  
metastatic carcinoma as cause of (Wallace and Logue), 223  
pneumococcal, treated with intrapericardial penicillin, 381\*
- Staphylococcus aureus septicemia and, treated with penicillin (Zimmerman and Durgin), 93  
with effusion following infections of upper respiratory tract (Nathan and Dathe), 115



- Pericoronary neurectomy (Fauteux), 263  
combined with ligation of great cardiac vein, treatment of coronary disease with angina by (Fauteux), 260
- Peripheral blood flow and rectal and skin temperatures in hypertension (Stewart et al.), 617  
effect of splanchnic resection on (Stewart et al.), 728  
under basal conditions in older male subjects with normal and elevated blood pressures (Stewart et al.), 343  
vascular diseases, blood flow in (Goetz), 173
- Pharmacologic experiments (III); paroxysmal pulmonary edema consequent to stimulation of cardiovascular receptors (Luisada and Sarnoff), 293
- Phlebomanometer, use of: normal venous pressure values and study of certain clinical aspects of venous hypertension in man (Winsor and Burch), 387
- Phlebothrombosis, early diagnosis of, 799\*
- Phosphorus poisoning, electrocardiographic changes resulting from (Dathe and Nathan), 98
- Physicians, coronary artery disease among, 243\*
- Physiological responses, various, to mild exercise test, studies of (II); convalescence from surgical procedures, 249\*
- Physiopathology and surgical treatment of congenital cardiovascular defects, 519\*
- Plasma and blood volume determination in bilaterally vagotomized rats (Reichsman), 605
- Plethysmogram of toes during rest (Goetz), 148
- Pneumococcal pericarditis treated with intrapericardial penicillin, 381\*
- Pneumococcus pneumonia, electrocardiographic changes during and after (Thomson et al.), 565
- Pneumonia, pneumococcus, electrocardiographic studies during and after (Thomson et al.), 565
- Pneumopericardium, 246\*
- Pneumothorax, intrathoracic auscultation in, 800\*  
right and left, considerations of cardiac reaction to, 524\*
- Poisoning, phosphorus, electrocardiographic changes resulting from (Dathe and Nathan), 98
- Polyarteritis nodosa, 520\*
- Position of arm, effect of change of, upon blood pressure (Stein), 477
- Positive pressure respiration, certain effects of, on circulatory and respiratory systems (Carr and Essex), 53
- P-R interval, duration of, and its relationship to cycle length (R-R interval) (III); analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamowitz), 473
- Precordial leads in childhood; comment on presence of double upward deflections in leads from sternal region of normal children, 657\*  
multiple versus single, evaluation of use of, in conjunction with three limb leads, for practical clinical electrocardiography (Manchester and Ethridge), 633
- Pregnancy, cardiopulmonary function during, 251 (B. Rev.)  
coarctation and acute dissection of aorta associated with, 247\*
- Prothrombin time in normal subjects and in patients with arteriosclerosis, study of (Meyers and Poindexter), 27  
variations in (Meyers and Poindexter), 29
- Pulmonary arterial pressure in dogs, measurement of, 107\*  
artery, contribution to study of congenital dilatation of, 656\*  
entire main, persistent right aortic arch with atresia of (Herbut and Fox), 490  
edema following bilateral vagotomy, studies on pathogenesis of (Reichsman), 590  
general considerations on mechanism of (Luisada and Sarnoff), 303  
paroxysmal, consequent to stimulation of cardiovascular receptors; I. Effect of intra-arterial and intravenous infusions (Luisada and Sarnoff), 270  
II. Mechanical and neurogenic elements (Luisada and Sarnoff), 282  
III. Pharmacologic experiments (Luisada and Sarnoff), 293  
embolism, is there vagal pulmonocoronary reflex in? (Malinow et al.), 702  
ligation of inferior vena cava for prevention of, 243\*  
stenosis, pure congenital (Freed and Budnitz), 369
- Pulmonocoronary reflex, vagal, in pulmonary embolism? (Malinow et al.), 702
- Pulse rate and blood pressure in infancy and early childhood, 378\*  
reaction to performing step-up exercise on benches of different heights, 654\*

## Q

- Q-T interval, duration of, and its relationship to cycle length (R-R interval) (I); analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamowitz), 329

## R

- Rate and control of blood flow through skin of lower extremities (Goetz), 146
- Raynaud's disease, part of venospasm in producing clinical picture of, 532\*
- Receptors, cardiovascular, paroxysmal pulmonary edema consequent to stimulation of (Luisada and Sarnoff), 270, 282, 293
- Rectal and skin temperatures, effect of splanchnic resection on peripheral blood and, in hypertension (Stewart et al.), 728
- in hypertension, blood flow and (Stewart et al.), 617
- Resection, splanchnic effect of, on peripheral blood flow and rectal and skin temperatures in hypertension (Stewart et al.), 728
- Respiration, positive pressure, certain effects of, on circulatory and respiratory systems (Carr and Essex), 53
- Respiratory and circulatory systems, certain effects of positive pressure respiration on (Carr and Essex), 53
- tract, upper, pericarditis with effusion following (Nathan and Dathe), 115
- Rheumatic carditis, occurrence of, in native population of Curacao, Netherlands West Indies, 658\*
- fever, acute, treatment of, with large doses of sodium salicylate, with special reference to dose management and toxic manifestations, 802\*
- and rheumatic heart disease, Harveian oration on, 246\*
- effect of salicylate therapy on Weltmann serum coagulation reaction and its use as prognostic test in, 656\*
- etiology and pathogenesis of, 244\*
- hypersensitivity and, 801\*
- nodules in, 110\*
- observations on treatment of, with vitamin P, 244\*
- streptococcus infection and, some experimental aspects of, 110\*
- studies in, 109\*
- therapeutic value of early physical activity in, preliminary report, 384\*
- heart disease associated with meningocephalitis, 113\*

## Rheumatic heart disease—Cont'd

- Harveian oration on rheumatic fever and, 246\*
- in Denver school children, prevalence of, 250\*
- recurrences in children, prevention of, by use of sulfathiazole and sulfadiazine, 379\*
- Rheumatoid arthritis, characteristic vascular pattern in patients with, 380\*
- Rhythm and conduction, multiple disturbances of, and unusual auricular T wave in case of myocardial infarction (Miller and Perelman), 501
- bigeminal, persistent ventricular, in apparently normal hearts, 659\*
- R-R interval, cycle length, duration of P-R interval and its relationship to (Schlamowitz), 473
- duration of Q-T interval and its relationship to (Schlamowitz), 329
- duration of T-P interval and its relationship to (Schlamowitz), 464
- Rubella, maternal, congenital defects following, 256\*

## S

- Salicylate therapy, effect of, on Weltmann serum coagulation reaction and its use as prognostic test in rheumatic fever, 656
- Salt depletion and dehydration, hemodynamic changes in, 660\*
- Scarlet fever, transitory A-V block occurring during (Paul et al.), 138
- Scrub typhus, congestive heart failure in (Levine), 325
- fever, electrocardiographic changes in (Hollander), 481
- pathologic study of thirty-one cases of, with especial reference to cardiovascular system (Levine), 314
- hemorrhagic phenomena in (Levine), 325
- pathologic changes in heart and other organs in (Levine), 315
- question of residual cardiac damage in (Levine), 326
- Sensations, subjective, associated with extrasystoles, study of (Kline and Bidder), 255
- Septicemia, *Staphylococcus aureus*, and pericarditis treated with penicillin (Zimmerman and Durgin), 93
- Serum thiocyanate, relationship of blood pressure and, 385\*
- Shape, size and, of T wave, effect of exercise on (Dehn et al.), 188

- Shock, hemorrhagic, definition and criteria for its diagnosis, 660\*  
traumatic, in man, electrocardiograms in, 244\*
- Shudder, carotid, 379\*
- Sinoatrial, interatrial and, block, with illustrative case (Decherd et al.), 352
- Sinus arrhythmia and respiratory variation of ballistocardiogram, 659\*  
carotid, stimulation, hemiplegia following (Askey), 131  
hyperactive carotid, reflex, angina pectoris, and myocardial infarction, case report of similar symptoms produced by (Glenn and Read), 792
- Size and shape of T wave, effect of exercise on (Dehn et al.), 188
- Skin and rectal temperatures, effect of splanchnic resection on peripheral blood flow and, in hypertension (Stewart et al.), 728  
of lower extremities, rate and control of blood flow through (Goetz), 146  
sensitivity, intolerance as shown by; mercurial diuretics, 378\*  
temperatures in hypertension, peripheral blood flow and (Stewart et al.), 617
- Smith, Fred M., 253
- Sodium restriction in diet for hypertension, 112\*  
salicylate, fatal thrombocytopenic purpura due to, 242\*  
treatment of acute rheumatic fever with large doses of, with special reference to dose management and toxic manifestations, 802\*
- South Pacific malaria, experience with (Sprague), 428
- Sphygmomanometer, differences in blood pressure values determined by inflating and deflating cuff of (Cunningham), 220
- Spinal anesthesia, high, effect of, on blood pressure of patients with hypertension and far-advanced renal disease—its possible relationship to pathogenesis of hypertension (V); studies in hypertension, 379\*
- Splanchnic resection, effect of, on peripheral blood flow and rectal and skin temperatures in hypertension (Stewart et al.), 728
- Stab wound of heart and pericardial effusion or empyema, pericardial tamponade from; study utilizing method of right heart catheterization (Warren et al.), 418
- Staphylococcus aureus septicemia and pericarditis treated with penicillin (Zimmerman and Durgin), 93
- Stenosis, congenital tricuspid, 525\*  
mitral, and arterial hypertension, 805\*  
pure congenital pulmonary (Freed and Budnitz), 369
- Stimulation, carotid sinus, hemiplegia following (Askey), 131  
of cardiovascular receptors, paroxysmal pulmonary edema consequent to (Luisada and Sarnoff), 270, 282, 293
- Streptococcus, hemolytic, sore throat, abnormalities in electrocardiogram following, 658\*  
infection and rheumatic fever, some experimental aspects of, 110\*  
s.b.e. in subacute bacterial endocarditis, 383\*
- Subendocardial and endocardial degeneration, mural thrombi, and thromboses of thebesian veins, presence and pathogenesis of, in cardiac failure from causes other than myocardial infarction (Flynn and Mann), 757
- Subjective sensations associated with extrasystoles, study of (Kline and Bidder), 254
- Sulfadiazine, prevention of rheumatic recurrences in children by use of, 379\*
- Sulfathiazole, prevention of rheumatic recurrences in children by use of, 379\*
- Surgical ablation of sinus node, three observations on chronic experimental nodal rhythm by, 804\*  
correction, experimental studies regarding; coarctation of aorta, 112\*  
for coarctation of aorta, 380\*  
ligation in patient with patent ductus arteriosus complicated by presence of multiple congenital cardiac defects, cure of subacute bacterial endarteritis by (Ziegler), 231  
management of peripheral vascular disorders, 805\*\*  
procedures, convalescence from; I. Studies of circulation lying and standing, of tremor, and of program of bed exercises and early rising, 249\*  
II. Studies of various physiological responses to mild exercise test, 249\*  
relief for tracheal obstruction from vascular ring, 113\*  
therapy of patent ductus arteriosus, 110\*  
treatment, congenital coarctation of aorta and, 381\*  
consideration of two cardiac diseases amenable to, 243\*  
of arterial hypertension, 521\*  
of essential hypertensive cardiovascular disease in man, experiences with, 245\*  
physiopathology and, of congenital cardiovascular defects, 519\*
- Sympathectomized extremities, blood flow in (Goetz), 168

- Sympathotomy, bilateral cervical vagotomy and, in rat under ether anesthesia (Reichsman), 595
- Syndrome, anginal, treatment of, with thiouracil, 247\*
- superior vena cava; report of thirty-five cases (Hussey et al.), 1
- Wolff-Parkinson-White, and related problems, 108\*
- System, cardiovascular, pathologic study of thirty-one cases of scrub typhus fever with especial reference to (Levine), 314
- Systems, circulatory and respiratory, certain effects of positive pressure respiration on (Carr and Essex), 53
- T
- T waves, unstable, in Leads II and III in persons with neurocirculatory asthenia (Wendkos and Logue), 711
- unusual auricular, multiple disturbances of rhythm and conduction and, in case of myocardial infarction (Miller and Preelman), 501
- Tachycardia, paroxysmal, abnormal electrocardiogram following recovery from (Ward), 645
- ventricular (Freundlich), 557
- transient bundle branch block associated with (Eichert), 511
- ventricular—report on ten cases, eight of which were treated with quinidine with recovery in seven, 111\*
- Tamponade, cardiac, congenital defect of aortic vestibule complicated by bacterial endocarditis with perforation and death from (Medalia and Drapiewski), 103
- pericardial, from stab wound of heart and pericardial effusion or empyema; study utilizing method of right heart catheterization (Warren et al.), 418
- Temperatures, rectal and skin, effect of splanchnic resection on peripheral blood flow and, in hypertension (Stewart et al.), 728
- in hypertension, peripheral blood flow and (Stewart et al.), 617
- Tetralogy of Fallot, case of, 109\*
- Thebesian veins, thromboses of, endocardial and subendocardial degeneration, and mural thrombi, presence and pathogenesis of, in cardiac failure from causes other than myocardial infarction (Flynn and Mann), 757
- Therapeutic value of early physical activity in rheumatic fever, preliminary report, 384\*
- Thiocyanate, serum, relationship of blood pressure and, 385\*
- Thiouracil, treatment of anginal syndrome with, 247\*
- Thoracic, right, and left cervical vagotomy (Reichsman), 600
- Thrombi, mural, endocardial and subendocardial degeneration, and thromboses of thebesian veins, presence and pathogenesis of, in cardiac failure from causes other than myocardial infarction (Flynn and Mann), 757
- Thrombocytopenic purpura, fatal, due to sodium salicylate, 242\*
- Thromboembolic disease, venous, 521\*
- Thromboplastic properties of some mercurial diuretics (Macht), 460
- Thromboses of thebesian veins, endocardial and subendocardial degeneration, and mural thrombi, presence and pathogenesis of, in cardiac failure from causes other than myocardial infarction (Flynn and Mann), 757
- Time, prothrombin, in normal subjects and in patients with arteriosclerosis, study of (Meyers and Poindexter), 27
- relationships within cardiac cycle in electrocardiograms of normal men, analysis of (Schlamowitz), 329, 464, 473
- Tobacco, angina pectoris and, 525\*
- Toes, rate of blood flow in (Goetz), 158
- T-P interval, duration of, and its relationship to cycle length (R-R interval) (II); analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamowitz), 464
- Tracheal obstruction from vascular ring, surgical relief for, 113\*
- Tracheobronchial tree, heart, and inferior vena cava of normal dogs, certain effects of positive pressure respiration on (Carr and Essex), 61
- Transfusion, blood, intracardiac, 385\*
- Transient bundle branch block associated with tachycardia (Eichert), 511
- Transverse diameter of heart, method for orthodiagraphic measurement of, by means of simple fluoroscope (Howard), 724
- Trauma of limbs, acute hemorrhage or, effects of positive pressure respiration on circulation and respiration when combined with (Carr and Essex), 64
- vascular (II); surgical management of peripheral vascular disorders, 805\*
- Traumatic shock in man, electrocardiograms in, 244\*
- Tremor, circulation lying and standing, and bed exercises and early rising, studies of (I); convalescence from surgical procedures, 249\*
- Tricuspid stenosis, congenital, 525\*
- Tsutsugamushi disease, cardiovascular disturbances in, 248\*

- Typhus fever, scrub, electrocardiographic changes in (Hollander), 481  
 pathologic study of thirty-one cases of, with especial reference to cardiovascular system (Levine), 314

## U

- Unipolar derivation, critical study of, 108\*  
 Uremia, electrocardiographic changes in pericarditis associated with (Keith et al.), 527  
 Urethane anesthesia, bilateral cervical vagotomy under (Reichsman), 599

## V

- Vagal pulmonocoronary reflex in pulmonary embolism? (Malinow et al.), 702  
 Vagotomized rats, bilaterally, plasma and blood volume determination in (Reichsman), 605  
 Vagotomy, bilateral cervical, and sympathectomy in rat under ether anesthesia (Reichsman), 595  
     under urethane anesthesia (Reichsman), 599  
     studies on pathogenesis of pulmonary edema following (Reichsman), 590  
     right thoracic and left cervical (Reichsman), 600  
 Valve, mitral, calcification of (Fertman and Wolff), 580  
 Vascular disorders, peripheral, surgical management of, 805\*  
     II. Vascular trauma, 805\*  
     pattern, characteristic, in patients with rheumatoid arthritis, 380\*  
     ring, surgical relief for tracheal obstruction from, 113\*  
 Vectorecardiogram, method for construction of, from Einthoven electrocardiogram (Howard), 191  
 Vein, great cardiac, treatment of coronary disease with angina by pericoronary neurectomy combined with ligation of (Fauteux), 260  
     coronary, ligation of, in man (Fauteux), 261  
 Veins, thebesian, thromboses of, endocardial and subendocardial degeneration, and mural thrombi, presence and pathogenesis of, in cardiac failure from causes other than myocardial infarction (Flynn and Mann), 757  
 Vena cava, inferior, tracheobronchial tree, and heart, of normal dogs, effects of positive pressure respiration on (Carr and Essex), 61

- Vena caval syndrome, superior; report of thirty-five cases (Hussey et al.), 1  
 Venospasm, its part in producing clinical picture of Raynaud's disease, 521\*

## Venous filling, time of, 107\*

- hypertension in man, normal venous pressure values and study of certain clinical aspects; use of phlebomanometer (Winsor and Burch), 387

- pressure, establishment of normal values for (Winsor and Burch), 395  
 factors affecting (Winsor and Burch), 391

- in patients with right ventricular congestive heart failure (Winsor and Burch), 397

- pressures in disorders of venous system of lower extremities, 380\*

- return, action of cardiac ejection on, 655\*  
 in absence of cardiac drive, 382\*

- intra-abdominal pressure and regulation of, 107\*

- thromboembolic disease, 521\*

- Ventricle, cardiac, action of heat and cold on different components of electrogram of, 107\*

- left, electrocardiographic effects of injury at endocardial surface of (Bayley), 677

- turtle, action of acetylcholine and epinephrine on, 381\*

- Ventricular fibrillation (Parsonnet et al.), 769

- tachycardia, paroxysmal (Freudlich), 557  
 treated with quinidine, 111\*

- Veterans discharged because of heart disease or hypertension, re-examination of, 520\*

- Vitamin P, observations on treatment of rheumatic fever with, 244\*

## W

- Wolff-Parkinson-White syndrome and related problems, 108\*

- in association with congenital heart disease: coarctation of aorta (Bodlander), 785

- Wound, stab, of heart and pericardial effusion or empyema, pericardial tamponade from; study utilizing method of right heart catheterization (Warren et al.), 418

- Wounds, penetrating, of chest, circulation in; study by method of right heart catheterization (Merrill et al.), 413



